

MAGLEV TRANSPORT: AN INNOVATIVE DIRECTION OF MODERN RAIL TRANSPORT

Nouman Ul Haq
Scientific Supervisor
Email address: ps.u.nouman@asei.uz

Temur Akhrorov,
11th Grade Student of Presidential School in Samarkand
Email address: temurpm6@gmail.com

Abstract

This article analyzes Maglev transport as an innovative direction of modern railway transport. It covers the principle of operation of magnetic levitation technology, the main technical characteristics of Maglev trains, and its differences from traditional railway transport. It also considers the advantages of Maglev transport, such as high speed, energy efficiency, reduced friction during movement, environmental safety, and passenger comfort. The article also analyzes the importance of this technology in the modernization of railway transport and its future development prospects. The introduction of the Maglev system into modern transport infrastructure can expand the possibilities of forming fast, efficient, and environmentally sustainable transport systems.

Keywords: Maglev transport, magnetic levitation, railway transport, innovative technology, high speed, energy efficiency, environmental sustainability, transport infrastructure, modern transport, electromagnetic system.

Introduction

Today, modernization of the transport system, increasing the speed of movement, reducing energy consumption and ensuring environmental safety are among the most important tasks on a global scale. The increase in the population, the expansion of transport between large cities and the need to save time require the development of modern and highly efficient transport technologies. From this point of view, the use of innovative technologies in rail transport is of particular importance. In traditional rail transport, the movement of trains is based on the

mechanical effect between the wheel and the rail. In maglev transport, the principle of magnetic levitation is used to move and lift the train on the rail. In this case, with the help of magnetic fields, the train moves without direct mechanical contact with the rail. As a result, the reduction in friction makes it possible to achieve high speeds and reduce wear of mechanical parts during movement.

Maglev technology is considered not only a high-speed means of transport, but also one of the important innovative directions in the technological development of rail transport. Aspects of this system such as speed, energy efficiency, noise level, and environmental impact require comparison with traditional means of transportation. In traditional rail transport, the movement of trains is based on the mechanical connection between the wheel and the rail. In maglev transport, magnetic levitation technology is used to lift, guide and move the train. Therefore, maglev technology is considered one of the promising innovative directions of modern rail transport. Uzbek researcher U. Mavlonov also studied maglev technology in connection with superconductivity and electromagnetic phenomena. The author shows that maglev trains move without direct contact with the rail using an electromagnetic field.

Main part

The term Maglev comes from the English phrase magnetic levitation - “lifting with the help of a magnet”. In this technology, the train is lifted above the track using electromagnetic forces and moves along a special guideway. This does not require constant mechanical contact of the wheels with the rail, as in traditional trains. U. Mavlonov’s research shows that one of the main features of Maglev trains is the movement on the rail using an electromagnetic field and the absence of direct contact between the train and the rail [1, 60–61]. This feature fundamentally distinguishes Maglev technology from the traditional wheel-rail system.

Uzbek researcher R. Noibjonov emphasizes that superconducting materials have the ability to generate a strong electromagnetic field. Such properties can be used in transport technologies, including magnetic levitation systems [2, 3–5].

High-speed potential of Maglev

One of the most striking features of Maglev transport is its high-speed capability. The absence of mechanical contact between the wheel and the rail creates the technical possibility for the train to move at high speeds. U. Mavlonov notes in his study that the average speed of the Shanghai Maglev train is 250 km/h, and the maximum speed is 431 km/h. It is also reported that the Japanese MLX01 experimental train reached a speed of 581 km/h during tests [1,61]. These indicators indicate that Maglev technology has great potential for high-speed transport.

The study by Xiong J, also analyzed the development, safety, operation and maintenance issues of high-speed Maglev technologies [3,4]. The authors indicate the existence of various technological directions, such as EMS, EDS, and high-temperature superconducting Maglev.

Reduced mechanical friction

In conventional rail transport, mechanical friction occurs as a result of the constant contact between the wheel and the rail. This can cause wear of the wheels and rails, vibration and noise. In the Maglev system, however, there is no wheel-rail friction because the train is lifted above the track surface using magnetic force. In this regard, the technology allows reducing mechanical wear and ensuring smooth movement. Lin et al. indicate high speed, absence of mechanical friction and relatively low noise as important features of Maglev systems [4,12]. These features make Maglev transport interesting from a technological point of view, especially for long-distance and high-speed travel.

Energy efficiency

The issue of energy efficiency of Maglev transport is also the subject of separate scientific research. Fritz and co-authors compared Maglev systems with high-speed rail-based trains such as ICE, TGV and Shinkansen. Their study found that under certain standardized conditions, the Transrapid Maglev system may have superior energy consumption. For example, for the Hamburg–Berlin route at 330 km/h, the Transrapid system is estimated to have energy consumption of 45 Wh/passenger-km, while the ICE 3 is estimated to have energy consumption of 59 Wh/passenger-km [5,134].

However, it is not scientifically correct to assume that Maglev is energy-efficient over conventional electric trains in all conditions. Energy consumption depends on the speed, track profile, train length, number of passengers and technological design. Therefore, the energy efficiency of Maglev should be assessed on the basis of the specific route and operating conditions. Reducing the environmental impact of transport is one of the most important issues today. The Maglev vehicle itself, which runs on electricity, does not produce exhaust gases typical of an internal combustion engine. Therefore, Maglev is considered one of the most promising technologies in terms of developing the ecological aspects of electric transport. However, it is not enough to assess its environmental efficiency only by the movement of the train. The source of electricity, the construction of the road and infrastructure also have a general ecological impact. Therefore, it is advisable to study the environmental benefits of Maglev throughout its entire life cycle.

The importance of research by Uzbek scientists In Uzbekistan, attention is also paid to studying the practical possibilities of superconductivity and electromagnetic phenomena. U.U. Usmanov analyzes the possibilities of superconductivity in science, engineering and technology, noting that superconducting materials have high electrical conductivity. These physical properties are important in creating powerful electromagnetic systems. D.R. Dzhurayev's work "Physics of Superconductivity" also covers the physical foundations of the superconductivity phenomenon and its practical possibilities. U.U. Usmanov, relying on this source, provides information about the theoretical foundations of superconductivity [6,22].

Thus, superconductivity, electromagnetic fields and cryogenic technologies being studied by Uzbek scientists can serve as an important scientific basis for understanding the physical foundations of innovative transport systems such as Maglev in the future. Reducing the environmental impact of transport is one of the most important issues today. The Maglev vehicle itself, which runs on electricity, does not produce exhaust gases typical of an internal combustion engine. Therefore, Maglev is considered one of the most promising technologies in terms of developing the ecological aspects of electric transport. However, it is not enough to assess its environmental efficiency only by the movement of the train. The source of electricity, the construction of the road and infrastructure also

have a general ecological impact. Therefore, it is advisable to study the environmental benefits of Maglev throughout its entire life cycle.

In Uzbekistan, attention is also paid to studying the practical possibilities of superconductivity and electromagnetic phenomena. U.U. Usmanov analyzes the possibilities of superconductivity in science, engineering and technology, noting that superconducting materials have high electrical conductivity. These physical properties are important in creating powerful electromagnetic systems. D.R. Dzhurayev's work "Physics of Superconductivity" also covers the physical foundations of the superconductivity phenomenon and its practical possibilities. U.U. Usmanov, relying on this source, provides information about the theoretical foundations of superconductivity [6,32].

Thus, superconductivity, electromagnetic fields and cryogenic technologies being studied by Uzbek scientists can serve as an important scientific basis for understanding the physical foundations of innovative transport systems such as Maglev in the future.

Methodology

This study used comparative analysis, scientific literature review, descriptive analysis, and data generalization methods to determine the place of Maglev transport in modern railway transport and to study its main technical and operational characteristics. The main object of the study is the Maglev transport system, and the subject of the study is its technological characteristics that differ from traditional wheel-rail railway transport. At the initial stage of the study, scientific sources covering the physical and technical foundations of Maglev technology were analyzed. In particular, scientific views related to magnetic levitation, electromagnetic suspension system (EMS), electrodynamic suspension system (EDS), and superconductivity were studied. The scientific works of Uzbek researchers U. Mavlonov, R. Noibjonov, and U.U. Usmanov were also used to form the theoretical basis of the study [1,6].

Using the comparative analysis method, the speed, motion principle, mechanical friction, energy consumption and environmental aspects of Maglev and conventional rail transport were compared. Attention was paid to the need to evaluate transport systems under the same conditions. For example, in the study of Fritz et al., the energy consumption of Maglev and high-speed rail-based trains

was compared under standardized conditions. Using the descriptive analysis method, the working mechanism of the Maglev system, the process of lifting and moving a train using magnetic forces, and the technical characteristics of this technology were explained. Also, real transport systems such as Shanghai Maglev and MLX01 tested in Japan were analyzed as practical examples. The study also used the generalization method, which summarized the scientific views expressed by various authors and systematized the main advantages and existing limitations of Maglev technology. The basis for this was the need to evaluate the efficiency of Maglev transport not only in terms of speed, but also in terms of energy consumption, infrastructure, environmental impact and operating conditions. The methodological approach of the study was based on the principle of joint analysis of qualitative and quantitative data. Quantitative data, including train speed indicators and energy consumption, were reviewed based on relevant scientific sources, and qualitatively, the innovative features, technical capabilities and development prospects of Maglev technology were analyzed. This methodological approach allows for a comprehensive assessment of the place of Maglev transport in the modern railway system, and to shed light on its technological advantages and development prospects on a scientific basis.

Conclusion

The results of the study showed that Maglev transport is one of the innovative and promising directions of modern railway transport. The main feature of this transport system, based on magnetic levitation technology, is the movement of the train without direct mechanical contact with the rail. This reduces mechanical friction and some types of wear, ensures smooth movement, and allows achieving high speeds. During the study, the differences between Maglev transport and traditional railway transport were analyzed, including propulsion technology, speed, energy efficiency, environmental impact, and passenger comfort. The practical application of this technology in high-speed transport was considered using the Shanghai and Japanese Maglev systems as examples. The analysis results showed that Maglev transport has such important features as high-speed movement, the absence of mechanical contact, and the use of modern electromagnetic technologies. At the same time, since the energy efficiency of Maglev is not the same under all conditions, it is necessary to take into account

the speed, number of passengers, road infrastructure, source of electricity and operating conditions when assessing it.

Maglev transport also has important ecological prospects. As a result of operating on electricity, the train itself does not produce exhaust gases. However, when determining its overall environmental efficiency, it is necessary to take into account the entire life cycle of the infrastructure construction, energy production and transport system. In general, Maglev technology is characterized by a combination of high speed, contactless movement, modern electromagnetic control and innovative technologies. In the future, the development of this technology can not only increase the speed and efficiency of transport, but also serve to form environmentally sustainable transport systems. Therefore, a deeper study of the technical, economic and environmental capabilities of Maglev transport is one of the important scientific directions in the field of modern transport.

References

1. Mavlonov U.M. Muqobil energiya manbalari va yuqori haroratli o'tkazuvchanlikning aloqadorligi, uning ilmiy-amaliy ahamiyati: magistrlik dissertatsiyasi. – Buxoro, 2019. – 60–61-b.
2. Noibjonov R.R. O'ta o'tkazuvchanlik hodisasi va uning fizik mohiyati. O'ta o'tkazgich moddalar va ularning elektron texnikasidagi o'rni: bitiruv malakaviy ishi. – Andijon, 2017. – 3–5-b.
3. Xiong J., Shen Z., Chi M., Wu X., Liang S. Review on High-Speed Maglev Train Technology. Journal of Traffic and Transportation Engineering, 2025. – Vol. 25, No. 2.
4. Lin G. et al. Control Methods for Levitation System of EMS-Type Maglev Vehicles: An Overview. Energies. – 2023. – Vol. 16, No. 7. – Article 2995.
5. Fritz E., Blow L., Kluhsbies J., Kircher R., Witt M.H. Energy Consumption of Track-Based High-Speed Trains: Maglev Systems in Comparison with Wheel-Rail Systems. Transportation Systems and Technology. – 2018. – Vol. 4, No. 3. – P. 134–155.
6. Usmonov U.U. O'ta o'tkazuvchanlik hodisasining kashf qilinish tarixi, buguni va istiqbollari. Iqtidorli talabalar, magistrantlar, tayanch doktorantlar va doktorantlarning ilmiy maqolalar to'plami. – Buxoro, 2022. – 22-b.
7. Djurayev D.R. O'ta o'tkazuvchanlik fizikasi. – Buxoro: Dizayn Press, 2013. – 6–10-b.